
2008
Oklahoma Prevention Needs
Assessment Survey
Results for
Wichita Mountains Prevention
Network (Lawton)



REPORT PROVIDED BY:

**Oklahoma Department of Mental Health
and Substance Abuse Services**

Introduction

2008 Oklahoma Prevention Needs Assessment Survey Summary for Wichita Mountains Prevention Network (Lawton)

This report summarizes the findings from the 2008 Oklahoma Prevention Needs Assessment (OPNA) Survey, a survey of 6th, 8th, 10th, and 12th grade students conducted in the spring of 2008. The results from your survey are presented along with comparisons to your results from the 2004 and 2006 OPNA Survey, where applicable. In addition, the report contains important information about the risk and protective factor framework on which the survey is based and guidelines on how to interpret and use the data.

The Oklahoma PNA Survey is designed to assess students' involvement in a specific set of problem behaviors, as well as their exposure to a set of scientifically validated risk and protective factors. The risk and protective factors have been shown to influence the likelihood of academic success, school dropout, substance abuse, violence, and delinquency among youth.

CONTENTS:

- Introduction
- Risk & Protective Factor Model of Prevention
- How to Read the Charts
- Practical Implications of the Assessment
- Tools for Assessment and Planning
- Data Charts:
 - Substance Use
 - Antisocial Behavior and Gambling
 - Risk & Protective Factor Profiles
 - Sources and Places of Alcohol and Cigarette Use
- Risk and Protective Factor Scale Definitions
- Data Tables Including the Drug Free Communities Report
- Contacts for Prevention

Table 1 contains the characteristics of the students who completed the survey from your community as well as the State of Oklahoma. A total of 686 schools across Oklahoma participated in the survey. Because not all students answer all of the questions, the number of students in the gender and ethnicity categories in Table 1 will often be less than the total number of students in grades 6, 8, 10, and 12.

When using the information in this report, please pay attention to the number and percentage of students who participated from your community. If 60% or more of the students participated, the report is a good indicator of the levels of substance use, risk, protection, and antisocial behavior. If fewer than 60% participated, a review of who participated should be completed prior to generalizing the results to the entire community.

Coordination and administration of the Oklahoma PNA Survey was a collaborative effort of the Office of the Governor; Department of Mental Health and Substance Abuse Services; Area Prevention Resource Centers; Department of Health; Department of Education; Oklahoma Commission on Children and Youth; and all of the participating schools. If you have any questions about the report or prevention activities that are underway in the state, please refer to the *Contacts for Prevention* section.

Administration of the Oklahoma Prevention Needs Assessment Survey and the preparation of this report were funded by a federal grant administered by the Oklahoma Department of Mental Health and Substance Abuse Services from the U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA), Center for Substance Abuse Prevention (CSAP).

Table 1. Characteristics of Participants

Total Students	Agency 2004		Agency 2006		Agency 2008		State 2008	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	3,262	100	4,659	100	4,912	100	60,720	100
Grade								
6	866	26.5	1,315	28.2	1,276	26.0	18,969	31.2
8	1,042	31.9	1,441	30.9	1,429	29.1	16,682	27.5
10	674	20.7	1,107	23.8	1,170	23.8	14,435	23.8
12	680	20.8	796	17.1	1,037	21.1	10,634	17.5
Gender								
Male	1,550	48.2	2,186	48.1	2,363	48.9	29,217	48.9
Female	1,668	51.8	2,357	51.9	2,469	51.1	30,567	51.1
Ethnicity*								
Native American	212	6.6	286	6.4	756	12.0	13,781	19.0
Asian	101	3.2	86	1.9	215	3.4	1,694	2.3
African American	864	27.0	930	21.0	1,353	21.6	7,582	10.4
Pacific Islander	36	1.1	55	1.2	144	2.3	950	1.3
Hispanic	331	10.3	538	12.1	803	12.8	6,350	8.7
White	1,417	44.2	2,056	46.4	3,006	47.9	42,354	58.2
Multi-racial / Other	242	7.6	484	10.9	n/a	n/a	n/a	n/a


* The "Multi-Racial / Other" category was removed in 2008, and Ethnicity became multiple choice.

Risk and Protective Factors

Risk factors are characteristics of school, community, and family environments, and characteristics of students and their peer groups, that are known to predict increased likelihood of drug use, delinquency, school dropout, and violent behaviors among youth. For example, children who live in disorganized, crime-ridden neighborhoods are more likely to become involved in crime and drug use than children who live in safe neighborhoods.

Protective factors exert a positive influence and buffer against the negative influence of risk, thus reducing the likelihood that adolescents will engage in problem behaviors. Protective factors identified through research include strong bonding to family, school, community and peers, and healthy beliefs and clear standards for behavior.

Three conditions must be present in communities, neighborhoods, schools, families and peer groups for young people to develop strong bonds to these social units. These conditions are: a) **Opportunities** for young people to actively contribute; b) **Skills** to be able to successfully contribute; and c) **Consistent** recognition or reinforcement for their efforts and accomplishments. For bonding to serve as a protective influence, it must occur through involvement with peers and adults who communicate healthy values and set clear standards for behavior.



WHY ARE RISK AND PROTECTIVE FACTORS IMPORTANT?

Research on risk and protective factors has important implications for children's academic success, positive youth development, and prevention of health and behavior problems. In order to promote academic success and positive youth development and to prevent problem behaviors, **it is necessary to address the factors that predict these outcomes.** By measuring risk and protective factors in a population, specific risk factors that are elevated and widespread can be identified and targeted by policies, programs and actions shown to reduce those risk factors and to promote protective factors.

Example

If early aggressive behavior is a priority risk factor, the risk and protective factor framework would tell you to select actions proven to address this risk and enhance the related protections of opportunities and recognition for classroom involvement. When the action is well implemented, the result is better behavior, and greater bonding (attachment and commitment) to school.

Early aggressive behavior



Implement anti-bullying programs



Improved behavior & bonding to school

How to Read the Charts in this Report

There are five types of charts presented in this report: 1) substance use; 2) antisocial behavior and gambling; 3) risk factors; 4) protective factors; and 5) sources and places of alcohol and cigarette use. If your school or community participated in the 2004 and/or 2006 OPNA Survey, then comparison data for those administrations will also be included in the charts. The actual percentages from the charts are presented in tables at the end of this report.

Substance Use Charts

This report contains information about alcohol, tobacco, and other drug use (referred to as ATOD use throughout this report) and other problem behaviors of students. The bars on each chart represent the percentage of students in that grade who reported the behavior. The three sections in the charts represent different types of problem behaviors. The definitions of each of the types of behavior are provided below.

- **Ever-used** is a measure of the percentage of students who tried the particular substance at least once in their lifetime and is used to show the percentage of students who have had experience with a particular substance.
- **30-day use** is a measure of the percentage of students who used the substance at least once in the 30 days prior to taking the survey and is a more sensitive indicator of the level of current use of the substance.
- **Heavy use** includes **binge drinking** (having five or more drinks in a row during the two weeks prior to the survey), use of **one-half a pack or more of cigarettes per day, and need for alcohol, drug, and a combined scale for students that need either alcohol OR drug treatment**. The need for treatment is defined as students who have used alcohol or drugs on 10 or more occasions in their lifetime and marked three or more of the following six items related to their past year drug or alcohol use: 1) Spent more time using than intended; 2) Neglected some of your usual responsibilities because of use; 3) Wanted to cut down on use; 4) Others objected to your use; 5) Frequently thought about using; 6) Used alcohol or drugs to relieve feelings such as sadness, anger, or boredom. Students could mark whether these items related to their drug use and/or their alcohol use.

Antisocial Behavior and Gambling Charts

- **Antisocial behavior (ASB)** is a measure of the percentage of students who report **any involvement during the past year** with 10 antisocial behaviors: Suspended from school; Drunk or high at school; Sold illegal drugs; Stolen a vehicle; Been arrested; Attacked someone to harm them; Carried a handgun; Taken a handgun to school; Drinking and driving; and Passenger with a drinking driver.
- **Gambling behavior** charts show the percentage of students who engaged in each of the nine types of gambling: Gambled at a casino; Played the lottery; Bet on team sports; Played cards for money; Bet money on horse races; Played bingo for money or prizes; Gambled on the internet; Bet on dice games; Bet on games of personal skill; as well as the percentage for any gambling behavior during the past year.

Risk and Protective Factor Charts

The risk and protective factor charts show the percentage of students at risk and with protection for each of the risk and protective factor scales. The risk and protective factor scales measure specific aspects of a youth's life experience that predict whether he or she will engage in problem behaviors. A definition of each risk and protective factor scale is contained in Table 2. The factors are grouped into four domains: community; family; school; and peer/individual.

- **The bars** on the risk and protective factor charts represent the percentage of students whose answers reflect significant risk or protection. There are bars for the last three administrations of the OPNA Survey: 2004; 2006; and 2008. By looking at the percentage of youth at risk and with protection over time, it is possible to determine whether the percentage of students at risk or with protection is increasing, decreasing, or staying the same. This information is important when deciding which risk and protective factors warrant attention.

Sources and Places of Alcohol and Cigarette Use Charts

The percentage of students who obtained alcohol and cigarettes from specific sources and the percentage who used alcohol and cigarettes in specific places in the past year is shown in charts for each grade. The percentages are based upon only those students who used alcohol (for alcohol questions) or cigarettes (cigarette questions) in the past year.

How to Read the Charts in this Report (continued)

Dots and Diamonds

The dots on the charts represent the percentage of all of the youth surveyed across Oklahoma who reported substance use, problem behavior, elevated risk, or elevated protection. The diamonds represent national data from either the Monitoring the Future Survey or the 8-State Norm (described below). A comparison to the statewide and national results provides additional information for your community in determining the relative importance of levels of ATOD use, antisocial behavior, risk, and protection. Information about other students in the state and the nation can be helpful in determining the seriousness of a given level of problem behavior. Scanning across the charts, you can easily determine which factors are most (or least) prevalent for your community. This is the first step in identifying the levels of risk and protection that are operating in your community and which factors your community may choose to address.

The 8-State Norm

The diamonds on the charts allow a comparison between the levels of risk and protection in your community and a more national sample. The 8-State

Norm value for each risk and protective factor scale represents the percentage of youth at risk or with protection for eight states across the country. In developing the 8-State Norm, the contribution of each of eight states was proportional to its percentage of the national population, which helps to make the results more representative of youth nationwide. A comparison between the ATOD use rates from the 8-State database and those from the national Monitoring the Future Survey showed the rates to be very similar, which provides added confidence in the validity of the 8-State Norm.

Drug Free Communities Reports and Additional Data for Prevention Planning

Table 14 contains information that needs to be reported by communities with Drug Free Communities Grants such as the perception of the risk of ATOD use, perception of parent and peer disapproval of ATOD use, past 30-day use, and average age of first use. Table 15, labeled Additional Data for Prevention Planning, contains data related to safety, violence, and gangs.

Practical Implications of the Assessment

No Child Left Behind

The Safe and Drug Free Schools and Communities section of the No Child Left Behind Act (NCLB) requires that schools and communities use six Principles of Effectiveness to guide their decisions and spending on federally funded prevention and intervention programs. First introduced in 1998 by the Department of Education, the Principles of Effectiveness outline a data-driven process for ensuring that prevention programs achieve the desired results. The Principles of Effectiveness stipulate that local prevention programs and activities must:

1. Be based on a needs assessment using objective data regarding the incidence of drug use and violence,
2. Target specific performance objectives,
3. Be based on scientific research and be proven to reduce violence or drug use,
4. Be based on the analysis of predictor variables such as risk and protective factors,
5. Include meaningful and on-going parental input in program implementation, and
6. Have periodic evaluations of established performance measures.

The results of the OPNA Survey presented in this report can help your school and community comply with the NCLB Act. The Substance Use and Antisocial Behavior charts provide information related to Principle 1 above. The Risk and Protective Factor charts provide information related to Principle 4. Overall, using the Risk and Protective Factors planning framework helps schools meet all of the Principles of Effectiveness, and thereby assists schools in complying with the NCLB Act.

Tools for Assessment and Planning

School and Community Improvement Using Survey Data

Why Conduct the Risk and Protective Factor Survey?

Data from the OPNA Survey can be used to help school and community planners assess current conditions and prioritize areas of greatest need.

Each risk and protective factor can be linked to specific types of interventions that have been shown to be effective in either reducing risk(s) or enhancing protection(s). The steps outlined here will help your school and community make key decisions regarding allocation of resources, how and when to address specific needs, and which strategies are most effective and known to produce results.

What are the numbers telling you?

Review the charts and data tables presented in this report. Using the table below, note your findings as you discuss the following questions.

- Which 3-5 risk factors are of the greatest concern?
- Which 3-5 protective factors are your community’s highest priorities?
- Which levels of 30-day drug use are of greatest concern?
 - Which substances are your students using the most?
 - At which grades do you see unacceptable usage levels?
- Which levels of antisocial behaviors are of greatest concern?
 - Which behaviors are your students exhibiting the most?
 - At which grades do you see unacceptable behavior levels?

How to decide if a rate is “unacceptable.”

- **Look across the charts** – which items stand out as either much higher or much lower than the others?
- **Compare your data with statewide and national data** – differences of 5% between local and other data are probably significant.
- **Determine the standards and values held within your community** – For example: Is it acceptable in your community for a percentage of high school students to drink alcohol regularly as long as that percentage is lower than the overall state rate?

Use these data for planning.


- **Substance use and antisocial behavior data** – identify issues, raise awareness about the problems, and promote school and community dialogue.
- **Risk and protective factor data** – identify key objectives that will help your school or community achieve its prevention goals.
- **The Risk and Protective Factor Planning Model** – guides your prevention planning process. Use the resources listed on the last page of this report, *Contacts for Prevention*, for ideas about prevention programs that have proven effective in addressing the risk factors that are high in your community and improving the protective factors that are low.

MEASURE	Unacceptable Rate #1	Unacceptable Rate #2	Unacceptable Rate #3	Unacceptable Rate #4
Risk Factors				
Protective Factors				
Substance Use				
Antisocial Behaviors				

Substance Use

LIFETIME, 30 DAY & HEAVY ATOD USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 6




* Substance categories that were not measured and reported prior to 2008.

** In 2004, Methamphetamines was included in the Other Stimulant question. Monitoring the Future has no equivalent category for Other Stimulants.

† Monitoring the Future does not survey 6th grade students.

LIFETIME, 30 DAY & HEAVY ATOD USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 8




* Substance categories that were not measured and reported prior to 2008.

** In 2004, Methamphetamines was included in the Other Stimulant question. Monitoring the Future has no equivalent category for Other Stimulants.

Substance Use

LIFETIME, 30 DAY & HEAVY ATOD USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 10




* Substance categories that were not measured and reported prior to 2008.

** In 2004, Methamphetamines was included in the Other Stimulant question. Monitoring the Future has no equivalent category for Other Stimulants.

LIFETIME, 30 DAY & HEAVY ATOD USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 12




* Substance categories that were not measured and reported prior to 2008.

** In 2004, Methamphetamines was included in the Other Stimulant question. Monitoring the Future has no equivalent category for Other Stimulants.

Antisocial Behavior and Gambling

ANTISOCIAL BEHAVIOR & GAMBLING PAST YEAR


2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 6



* Since not all eight states ask gambling questions, no 8-State value is reported. Gambling data were not collected prior to 2006.

ANTISOCIAL BEHAVIOR & GAMBLING PAST YEAR

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 8




* Since not all eight states ask gambling questions, no 8-State value is reported. Gambling data were not collected prior to 2006.

Antisocial Behavior and Gambling

ANTISOCIAL BEHAVIOR & GAMBLING PAST YEAR


2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 10



* Since not all eight states ask gambling questions, no 8-State value is reported. Gambling data were not collected prior to 2006.

ANTISOCIAL BEHAVIOR & GAMBLING PAST YEAR

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 12




* Since not all eight states ask gambling questions, no 8-State value is reported. Gambling data were not collected prior to 2006.

Risk and Protective Factor Profiles

RISK PROFILE


2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 6



* High Risk youth are defined as the percentage of students who have more than a specified number of risk factors operating in their lives. (6th grade: 7 or more risk factors, 8th grade: 8 or more risk factors, 10th and 12th grades: 9 or more risk factors)

PROTECTIVE PROFILE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 6




* High Protection youth are defined as the percentage of students who have more than a specified number of protective factors operating in their lives. (6th grade: 4 or more protective factors; 8th, 10th, and 12th grade: 5 or more protective factors)

Risk and Protective Factor Profiles

RISK PROFILE


2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 8



* High Risk youth are defined as the percentage of students who have more than a specified number of risk factors operating in their lives. (6th grade: 7 or more risk factors, 8th grade: 8 or more risk factors, 10th and 12th grades: 9 or more risk factors)


PROTECTIVE PROFILE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 8




** High Protection youth are defined as the percentage of students who have more than a specified number of protective factors operating in their lives. (6th grade: 4 or more protective factors; 8th, 10th, and 12th grade: 5 or more protective factors)

Risk and Protective Factor Profiles




* *High Risk* youth are defined as the percentage of students who have more than a specified number of risk factors operating in their lives. (6th grade: 7 or more risk factors, 8th grade: 8 or more risk factors, 10th and 12th grades: 9 or more risk factors)




* *High Protection* youth are defined as the percentage of students who have more than a specified number of protective factors operating in their lives. (6th grade: 4 or more protective factors; 8th, 10th, and 12th grade: 5 or more protective factors)

Risk and Protective Factor Profiles



* High Risk youth are defined as the percentage of students who have more than a specified number of risk factors operating in their lives. (6th grade: 7 or more risk factors, 8th grade: 8 or more risk factors, 10th and 12th grades: 9 or more risk factors)



* High Protection youth are defined as the percentage of students who have more than a specified number of protective factors operating in their lives. (6th grade: 4 or more protective factors; 8th, 10th, and 12th grade: 5 or more protective factors)


Sources and Places of Use

SOURCES AND PLACES OF CIGARETTE USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 6

The last time I smoked a cigarette I...
(Agency 2008 sample: 66 students)

On the last day I smoked I smoked at...
(Agency 2008 sample: 59 students)




SOURCES AND PLACES OF ALCOHOL USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 6

When I drank alcohol during the past year I...
(Agency 2008 sample: 105 students)

During the past year, I drank alcohol at...
(Agency 2008 sample: 81 students)




Sources and Places of Use

SOURCES AND PLACES OF CIGARETTE USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 8

The last time I smoked a cigarette I...
(Agency 2008 sample: 251 students)

On the last day I smoked I smoked at...
(Agency 2008 sample: 258 students)




SOURCES AND PLACES OF ALCOHOL USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 8

When I drank alcohol during the past year I...
(Agency 2008 sample: 382 students)

During the past year, I drank alcohol at...
(Agency 2008 sample: 386 students)




Sources and Places of Use

SOURCES AND PLACES OF CIGARETTE USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 10

The last time I smoked a cigarette I...
(Agency 2008 sample: 308 students)

On the last day I smoked I smoked at...
(Agency 2008 sample: 330 students)




SOURCES AND PLACES OF ALCOHOL USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 10

When I drank alcohol during the past year I...
(Agency 2008 sample: 510 students)

During the past year, I drank alcohol at...
(Agency 2008 sample: 494 students)




Sources and Places of Use

SOURCES AND PLACES OF CIGARETTE USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 12

The last time I smoked a cigarette I...
(Agency 2008 sample: 395 students)

On the last day I smoked I smoked at...
(Agency 2008 sample: 391 students)




SOURCES AND PLACES OF ALCOHOL USE

2008 Wichita Mountains Prevention Network (Lawton) Student Survey, Grade 12

When I drank alcohol during the past year I...
(Agency 2008 sample: 576 students)

During the past year, I drank alcohol at...
(Agency 2008 sample: 572 students)



Risk and Protective Scale Definitions

Table 2. Scales that Measure the Risk and Protective Factors Shown in the Profiles

<i>Community Domain Risk Factors</i>	
<i>Community Disorganization</i>	Research has shown that neighborhoods with high population density, lack of natural surveillance of public places, physical deterioration, and high rates of adult crime also have higher rates of juvenile crime and drug selling.
<i>Low Neighborhood Attachment</i>	A low level of bonding to the neighborhood is related to higher levels of juvenile crime and drug selling.
<i>Laws and Norms Favorable Toward Drug Use</i>	Research has shown that legal restrictions on alcohol and tobacco use, such as raising the legal drinking age, restricting smoking in public places, and increased taxation have been followed by decreases in consumption. Moreover, national surveys of high school seniors have shown that shifts in normative attitudes toward drug use have preceded changes in prevalence of use.
<i>Perceived Availability of Drugs and Handguns</i>	The availability of cigarettes, alcohol, marijuana, and other illegal drugs has been related to the use of these substances by adolescents. The availability of handguns is also related to a higher risk of crime and substance use by adolescents.
<i>Community Domain Protective Factors</i>	
<i>Opportunities for Positive Involvement</i>	When opportunities are available in a community for positive participation, children are less likely to engage in substance use and other problem behaviors.
<i>Rewards for Positive Involvement</i>	Rewards for positive participation in activities helps children bond to the community, thus lowering their risk for substance use.
<i>Family Domain Risk Factors</i>	
<i>Family History of Antisocial Behavior</i>	When children are raised in a family with a history of problem behaviors (e.g., violence or ATOD use), the children are more likely to engage in these behaviors.
<i>Family Conflict</i>	Children raised in families high in conflict, whether or not the child is directly involved in the conflict, appear at risk for both delinquency and drug use.
<i>Parental Attitudes Favorable Toward Antisocial Behavior & Drugs</i>	In families where parents use illegal drugs, are heavy users of alcohol, or are tolerant of children's use, children are more likely to become drug abusers during adolescence. The risk is further increased if parents involve children in their own drug (or alcohol) using behavior, for example, asking the child to light the parent's cigarette or get the parent a beer from the refrigerator.
<i>Poor Family Management</i>	Parents' use of inconsistent and/or unusually harsh or severe punishment with their children places them at higher risk for substance use and other problem behaviors. Also, parents' failure to provide clear expectations and to monitor their children's behavior makes it more likely that they will engage in drug abuse whether or not there are family drug problems.
<i>Family Domain Protective Factors</i>	
<i>Family Attachment</i>	Young people who feel that they are a valued part of their family are less likely to engage in substance use and other problem behaviors.
<i>Opportunities for Positive Involvement</i>	Young people who are exposed to more opportunities to participate meaningfully in the responsibilities and activities of the family are less likely to engage in drug use and other problem behaviors.
<i>Rewards for Positive Involvement</i>	When parents, siblings, and other family members praise, encourage, and attend to things done well by their child, children are less likely to engage in substance use and problem behaviors.
<i>School Domain Risk Factors</i>	
<i>Low Commitment to School</i>	Surveys of high school seniors have shown that the use of hallucinogens, cocaine, heroin, stimulants, and sedatives or nonmedically prescribed tranquilizers is significantly lower among students who expect to attend college than among those who do not. Factors such as liking school, spending time on homework, and perceiving the coursework as relevant are also negatively related to drug use.
<i>Academic Failure</i>	Beginning in the late elementary grades (grades 4-6) academic failure increases the risk of both drug abuse and delinquency. It appears that the experience of failure itself, for whatever reasons, increases the risk of problem behaviors.

Risk and Protective Scale Definitions

Table 2. Scales that Measure the Risk and Protective Factors Shown in the Profiles (cont'd)

<i>School Domain Protective Factors</i>	
<i>Opportunities for Positive Involvement</i>	When young people are given more opportunities to participate meaningfully in important activities at school, they are less likely to engage in drug use and other problem behaviors.
<i>Rewards for Positive Involvement</i>	When young people are recognized and rewarded for their contributions at school, they are less likely to be involved in substance use and other problem behaviors.
<i>Peer-Individual Risk Factors</i>	
<i>Early Initiation of Antisocial Behavior and Drug Use</i>	Early onset of drug use predicts misuse of drugs. The earlier the onset of any drug use, the greater the involvement in other drug use and the greater frequency of use. Onset of drug use prior to the age of 15 is a consistent predictor of drug abuse, and a later age of onset of drug use has been shown to predict lower drug involvement and a greater probability of discontinuation of use.
<i>Attitudes Favorable Toward Antisocial Behavior and Drug Use</i>	During the elementary school years, most children express anti-drug, anti-crime, and pro-social attitudes and have difficulty imagining why people use drugs or engage in antisocial behaviors. However, in middle school, as more youth are exposed to others who use drugs and engage in antisocial behavior, their attitudes often shift toward greater acceptance of these behaviors. Youth who express positive attitudes toward drug use and antisocial behavior are more likely to engage in a variety of problem behaviors, including drug use.
<i>Friends' Use of Drugs</i>	Young people who associate with peers who engage in alcohol or substance abuse are much more likely to engage in the same behavior. Peer drug use has consistently been found to be among the strongest predictors of substance use among youth. Even when young people come from well-managed families and do not experience other risk factors, spending time with friends who use drugs greatly increases the risk of that problem developing.
<i>Interaction with Antisocial Peers</i>	Young people who associate with peers who engage in problem behaviors are at higher risk for engaging in antisocial behavior themselves.
<i>Perceived Risk of Drug Use</i>	Young people who do not perceive drug use to be risky are far more likely to engage in drug use.
<i>Rewards for Antisocial Behavior</i>	Young people who receive rewards for their antisocial behavior are at higher risk for engaging further in antisocial behavior and substance use.
<i>Rebelliousness</i>	Young people who do not feel part of society, are not bound by rules, don't believe in trying to be successful or responsible, or who take an active rebellious stance toward society, are at higher risk of abusing drugs. In addition, high tolerance for deviance, a strong need for independence and normlessness have all been linked with drug use.
<i>Intention to Use ATODs</i>	Many prevention programs focus on reducing the intention of participants to use ATODs later in life. Reduction of intention to use ATODs often follows successful prevention interventions.
<i>Depressive Symptoms</i>	Young people who are depressed are overrepresented in the criminal justice system and are more likely to use drugs. Survey research and other studies have shown a link between depression and other youth problem behaviors.
<i>Gang Involvement</i>	Youth who belong to gangs are more at risk for antisocial behavior and drug use.
<i>Peer-Individual Protective Factors</i>	
<i>Religiosity</i>	Young people who regularly attend religious services are less likely to engage in problem behaviors.
<i>Belief in the Moral Order</i>	Young people who have a belief in what is "right" or "wrong" are less likely to use drugs.
<i>Prosocial Involvement</i>	Participation in positive school and community activities helps provide protection for youth.
<i>Rewards for Prosocial Involvement</i>	Young people who view working hard in school and the community are less likely to engage in problem behavior.
<i>Involvement with Prosocial Peers</i>	Young people who associate with peers who engage in prosocial behavior are more protected from engaging in antisocial behavior and substance use.

Data Tables

Table 3. Number of Students Who Completed the Survey

Number of Youth	Grade 6				Grade 8				Grade 10				Grade 12			
	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008
	866	1,315	1,276	18,969	1,042	1,441	1,429	16,682	674	1,107	1,170	14,435	680	796	1,037	10,634

Table 4. Percentage of Students Who Used ATODs During Their Lifetime

In your lifetime, on how many occasions (if any) have you: (One or more occasions)		Grade 6				Grade 8				Grade 10				Grade 12			
		Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008
		Alcohol	Had alcoholic beverages (beer, wine or hard liquor) to drink - more than just a few sips?	35.8	30.3	25.8	28.1	54.0	47.6	52.2	50.8	69.1	68.0	67.1	67.1	78.3	76.2
Cigarettes	Smoked cigarettes?	24.5	17.6	11.8	14.7	42.6	33.0	33.1	31.4	52.2	49.0	44.9	44.4	60.5	52.3	52.6	52.7
Chewing Tobacco	Used smokeless tobacco (chew, snuff, plug, dipping tobacco, chewing tobacco)?	3.2	5.4	4.1	7.3	6.5	10.0	11.6	15.9	11.9	15.2	18.1	23.2	16.6	18.9	20.5	26.8
Marijuana	Used marijuana (grass, pot) or hashish (hash, hash oil)?	4.5	4.4	2.3	3.0	20.5	12.8	14.7	13.5	39.8	30.4	26.9	25.6	51.7	37.6	34.3	32.8
Inhalants	Sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high?	13.0	11.2	10.1	11.7	12.6	10.5	14.3	15.1	8.6	12.2	11.5	12.3	9.1	9.0	10.4	9.4
Hallucinogens	Used LSD or other hallucinogens?	0.1	0.4	0.3	0.6	2.4	1.2	2.0	1.8	4.2	3.4	3.1	4.1	4.2	4.4	4.6	5.2
Cocaine	Used cocaine or crack?	1.0	0.8	0.9	0.9	2.3	0.9	1.7	2.3	2.5	4.0	2.8	4.1	4.9	5.4	4.8	6.1
Methamphetamines	Used methamphetamines (meth, speed, crank, crystal meth)?	n/a	0.3	0.3	0.6	n/a	0.8	1.3	1.5	n/a	2.6	1.7	2.7	n/a	4.4	2.7	4.0
Other Stimulants**	Used stimulants other than methamphetamines (such as amphetamines, Ritalin, or Dexedrine) without a doctor telling you to take them?	1.0	0.6	0.8	1.2	2.7	2.5	3.1	3.4	5.0	6.9	6.6	6.9	5.8	7.1	7.2	8.0
Sedatives	Used sedatives (tranquilizers, such as Valium or Xanax, barbiturates or sleeping pills) without a doctor telling you to take them?	6.3	5.0	4.1	5.3	10.3	6.7	10.2	11.2	15.5	14.4	16.6	17.1	16.9	16.8	19.1	18.4
Heroin	Used heroin or other opiates?	0.5	0.2	0.2	0.5	1.0	0.5	1.0	1.0	1.9	1.7	1.6	1.4	1.8	1.0	2.5	2.2
Ecstasy	Used MDMA (X, E, Ecstasy)?	0.8	0.4	0.3	0.4	3.3	1.7	1.3	2.0	4.4	3.6	5.2	4.0	7.5	5.4	6.7	5.8
Prescription Drugs*	Used prescription drugs (such as Valium, Xanax, Ritalin, Adderall, Oxycontin or sleeping pills) without a doctor telling you to take them?	n/a	n/a	4.2	5.5	n/a	n/a	11.3	13.1	n/a	n/a	19.8	20.6	n/a	n/a	22.7	22.7
Non-Prescription Cough Medicine*	Used a non-prescription cough or cold medicine (robos, DMX, etc.) to get high and not for medical reasons?	n/a	n/a	2.1	2.8	n/a	n/a	6.3	6.3	n/a	n/a	8.2	8.5	n/a	n/a	9.5	8.4

* Substance categories that were not measured and reported prior to 2008.

** In 2004 The question included Methamphetamines (On how many occasions (if any) have you: used stimulants ("amphetamines", "meth", "crystal", "crank") without a doctor telling you to take them.)

Data Tables

Table 5. Percentage of Students Who Used ATODs During The Past 30 Days

In the past 30 days, on how many occasions (if any) have you: (One or more occasions)		Grade 6				Grade 8				Grade 10				Grade 12			
		Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008
Alcohol	Had alcoholic beverages (beer, wine or hard liquor) to drink - more than just a few sips?	9.2	5.8	7.4	8.4	22.0	17.2	21.5	23.4	38.1	31.6	32.8	35.6	49.9	42.0	42.2	45.9
Cigarettes	Smoked cigarettes?	7.4	2.7	1.8	3.0	18.5	8.9	9.8	10.3	25.2	18.3	16.3	18.5	29.1	23.5	24.9	25.0
Chewing Tobacco	Used smokeless tobacco (chew, snuff, plug, dipping tobacco, chewing tobacco)?	0.9	1.6	1.0	2.2	2.6	4.3	4.3	6.8	5.8	5.9	8.7	12.0	8.1	8.3	11.2	13.7
Marijuana	Used marijuana (grass, pot) or hashish (hash, hash oil)?	1.9	1.2	0.7	1.1	10.5	5.7	6.9	6.2	19.2	13.9	12.8	11.6	22.6	12.8	13.6	13.8
Inhalants	Sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high?	5.0	4.3	3.4	4.9	6.7	3.6	5.9	5.8	1.9	4.2	2.5	3.1	1.9	1.8	1.7	1.8
Hallucinogens	Used LSD or other hallucinogens?	0.0	0.0	0.1	0.1	1.2	0.4	0.8	0.7	1.6	0.5	0.8	1.3	1.5	0.8	1.3	1.3
Cocaine	Used cocaine or crack?	0.6	0.1	0.5	0.4	0.9	0.4	0.4	0.7	1.2	0.7	0.7	1.1	0.8	0.9	0.7	1.2
Methamphetamines	Used methamphetamines (meth, speed, crank, crystal meth)?	n/a	0.0	0.1	0.2	n/a	0.2	0.4	0.5	n/a	0.5	0.5	0.8	n/a	0.9	0.9	0.8
Other Stimulants**	Used stimulants other than methamphetamines (such as amphetamines, Ritalin, or Dexedrine) without a doctor telling you to take them?	0.4	0.1	0.3	0.4	1.4	1.3	1.3	1.5	1.2	2.5	3.0	2.9	2.2	2.6	2.8	2.8
Sedatives	Used sedatives (tranquilizers, such as Valium or Xanax, barbiturates or sleeping pills) without a doctor telling you to take them?	3.2	1.4	1.5	2.3	4.8	3.0	4.8	5.5	8.9	7.0	7.8	8.2	8.9	8.0	9.0	8.2
Heroin	Used heroin or other opiates?	0.1	0.0	0.0	0.2	0.5	0.2	0.2	0.3	0.6	0.2	0.6	0.5	0.4	0.3	0.5	0.7
Ecstasy	Used MDMA (X, E, Ecstasy)?	0.2	0.0	0.0	0.2	1.1	0.6	0.4	0.8	1.3	0.5	1.8	1.4	1.0	0.3	2.9	1.8
Prescription Drugs*	Used prescription drugs (such as Valium, Xanax, Ritalin, Adderall, Oxycontin or sleeping pills) without a doctor telling you to take them?	n/a	n/a	2.1	2.5	n/a	n/a	6.8	6.6	n/a	n/a	9.0	10.0	n/a	n/a	11.0	10.5
Non-prescription cough medicine*	Used a non-prescription cough or cold medicine (robos, DMX, etc.) to get high and not for medical reasons?	n/a	n/a	1.1	1.3	n/a	n/a	3.1	3.1	n/a	n/a	3.4	3.6	n/a	n/a	4.0	2.8

* Substance categories that were not measured and reported prior to 2008.

** In 2004 The question included Methamphetamines (On how many occasions (if any) have you: used stimulants ("amphetamines", "meth", "crystal", "crank") without a doctor telling you to take them.)

Data Tables

Table 6. Percentage of Students With Heavy ATOD Use and Need for Alcohol/Drug Treatment

Heavy Use and Treatment Needs		Grade 6				Grade 8				Grade 10				Grade 12			
		Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008
Binge Drinking	How many times have you had 5 or more alcoholic drinks in a row in the past 2 weeks?	5.2	5.0	3.1	4.9	13.0	11.0	11.7	13.3	24.1	19.9	18.3	21.8	31.9	27.0	25.2	29.6
1/2 Pack of Cigarettes/Day	During the past 30 days, have you smoked a half a pack of cigarettes a day or more?	0.2	0.1	0.1	0.2	0.9	0.8	0.7	0.9	2.1	1.8	1.1	2.1	3.4	3.0	4.3	3.5
Needs Alcohol Treatment	Answered "Yes" to at least 3 alcohol treatment questions and has used alcohol on 10 or more occasions	n/a	1.3	0.2	0.9	n/a	4.8	3.8	4.6	n/a	11.7	8.7	9.8	n/a	12.8	13.6	13.2
Needs Drug Treatment	Answered "Yes" to at least 3 drug treatment questions and has used any drug on 10 or more occasions	n/a	0.6	0.1	0.4	n/a	2.8	2.2	2.6	n/a	7.8	6.3	5.4	n/a	6.8	7.5	6.6
Alcohol or Drug Treatment	Needs alcohol and/or drug treatment	n/a	1.8	0.3	1.1	n/a	6.4	4.9	5.7	n/a	16.3	12.0	12.0	n/a	16.5	16.6	15.5

Table 7. Percentage of Students With Antisocial Behavior in the Past Year

How many times in the past year (12 months) have you: (One or more times)		Grade 6				Grade 8				Grade 10				Grade 12			
		Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008
Been Suspended from School		17.4	15.4	15.1	10.8	19.0	15.5	22.1	15.0	14.0	10.9	17.8	11.7	9.0	7.0	10.5	7.2
Been Drunk or High at School		3.0	3.1	3.1	3.2	15.4	9.1	10.8	9.6	23.6	18.3	17.1	15.6	23.4	19.3	19.7	17.8
Sold Illegal Drugs		1.1	0.9	0.3	0.7	4.8	3.5	3.8	3.5	9.2	7.5	7.7	7.1	10.1	5.9	9.2	7.8
Stolen or Tried to Steal a Motor Vehicle		2.9	2.3	1.7	1.7	4.9	3.4	2.2	3.2	4.0	3.8	4.0	3.2	2.4	1.4	2.1	2.3
Been Arrested		4.0	3.3	2.0	2.5	10.0	7.7	7.7	6.6	11.4	7.7	8.5	7.6	6.6	5.8	8.4	6.5
Attacked Someone with the Idea of Seriously Hurting Them		20.9	20.1	16.8	15.3	24.4	20.8	22.1	18.0	20.4	17.6	23.6	16.8	14.9	12.3	16.4	13.4
Carried a Handgun		5.3	4.9	3.8	4.9	6.1	5.9	5.6	6.0	7.2	6.9	8.2	6.3	8.0	4.0	6.2	6.4
Carried a Handgun to School		0.8	0.5	0.6	0.5	1.0	1.4	1.1	0.9	1.7	0.8	1.5	1.0	1.5	0.6	1.2	1.4

Table 8. Percentage of Students Responding to Drinking and Driving Questions in the Past Month *

Drinking Behavior		Grade 6				Grade 8				Grade 10				Grade 12			
		Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008
Driven after Drinking Alcohol		n/a	n/a	1.5	1.9	n/a	n/a	4.0	4.2	n/a	n/a	7.4	8.8	n/a	n/a	18.1	19.8
Been a Passenger With Drinking Driver		n/a	n/a	17.2	20.5	n/a	n/a	22.2	25.5	n/a	n/a	26.6	27.3	n/a	n/a	27.8	29.4

* Drinking and Driving data were not gathered prior to 2008.

Data Tables

Table 9. Percentage of Students Gambling in the Past Year *

How many times in the past year (12 months) have you: (<i>A few times' or more</i>)	Grade 6				Grade 8				Grade 10				Grade 12			
	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008
Gambled in the Past Year	n/a	74.7	56.7	58.4	n/a	75.2	61.7	60.5	n/a	71.2	60.0	56.9	n/a	73.0	61.1	63.0
Gambled at a Casino	n/a	2.0	1.3	1.9	n/a	1.9	1.9	2.5	n/a	2.9	3.9	4.4	n/a	22.3	22.3	29.6
Played the Lottery	n/a	38.8	29.8	33.3	n/a	40.4	33.4	34.0	n/a	35.3	31.7	30.8	n/a	46.2	37.1	40.5
Bet on Sports	n/a	27.0	22.6	22.0	n/a	31.5	30.1	27.8	n/a	29.8	29.4	26.0	n/a	21.9	22.0	20.8
Bet on Cards	n/a	18.9	13.1	17.9	n/a	29.0	23.9	25.6	n/a	29.1	24.4	27.6	n/a	28.0	24.7	27.1
Bet on Horses	n/a	3.9	2.4	4.5	n/a	4.9	4.0	5.9	n/a	3.0	4.5	6.0	n/a	4.2	4.4	6.7
Played Bingo for Money	n/a	41.2	32.2	32.7	n/a	34.7	33.3	30.0	n/a	25.3	27.0	23.7	n/a	17.6	19.9	19.2
Gambled on the Internet	n/a	5.3	4.4	4.9	n/a	7.7	4.9	6.3	n/a	6.1	5.6	5.7	n/a	7.0	5.0	5.3
Bet on Dice	n/a	6.7	3.7	4.9	n/a	11.2	9.0	8.2	n/a	13.2	11.5	8.7	n/a	11.1	8.2	7.7
Bet on Games of Skill	n/a	21.4	13.6	17.5	n/a	27.4	22.0	21.8	n/a	27.9	25.1	21.5	n/a	18.9	21.7	18.1

Table 10. Percentage of Students Reporting Protection

Protective Factors	Grade 6				Grade 8				Grade 10				Grade 12			
	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008
Community Domain																
Opportunity for Prosocial Involvement	43.6	37.4	45.3	46.5	51.5	52.9	51.1	54.5	49.0	51.9	51.7	54.9	59.0	60.2	57.3	58.9
Rewards for Prosocial Involvement	34.8	35.6	42.6	44.4	41.3	40.8	42.8	47.9	34.4	35.6	38.5	44.2	40.7	36.7	37.4	45.4
Family Domain																
Family Attachment	44.4	50.9	51.7	51.1	43.0	48.3	44.3	48.9	46.8	49.4	50.0	53.1	53.8	57.3	54.9	56.9
Opportunity for Prosocial Involvement	51.4	53.9	56.9	55.4	52.7	59.2	55.6	58.4	44.9	51.1	50.7	52.8	50.3	57.1	53.1	55.4
Rewards for Prosocial Involvement	47.6	49.2	51.1	49.7	41.4	46.6	45.0	45.3	43.9	47.6	50.9	51.4	50.0	56.5	53.0	54.7
School Domain																
Opportunity for Prosocial Involvement	53.2	45.3	47.8	43.1	56.8	63.4	58.2	57.0	56.3	60.7	62.1	58.4	55.9	63.0	63.6	62.7
Rewards for Prosocial Involvement	52.9	53.1	48.8	47.4	42.4	50.0	45.2	48.1	51.4	59.6	54.3	60.1	40.9	45.6	44.4	47.5
Peer-Individual Domain																
Religiosity	42.1	45.2	46.4	51.8	60.1	62.1	61.4	65.0	53.0	59.4	55.3	59.0	50.3	53.2	45.9	52.3
Belief in the Moral Order	49.5	51.2	53.1	51.5	49.7	58.5	58.8	58.4	46.4	55.2	59.6	57.5	44.8	55.2	53.4	55.8
Interaction with Prosocial Peers	55.1	55.6	58.5	53.6	50.0	57.0	55.2	56.1	48.0	51.8	53.6	54.1	53.0	54.3	53.0	55.3
Prosocial Involvement	49.2	48.8	49.8	44.9	50.8	57.0	56.1	52.3	58.4	60.1	60.4	58.0	61.7	63.7	59.3	60.2
Rewards for Prosocial Involvement	42.9	46.9	52.0	51.2	48.1	55.5	51.6	56.4	38.2	42.7	43.7	45.9	45.5	52.6	47.0	49.7
Total Protection																
Students with High Protection**	56.2	51.4	52.3	51.7	43.0	43.6	46.6	48.5	41.2	44.5	49.2	50.4	49.0	52.5	50.8	53.1

* Gambling data were not gathered prior to 2006.

** High Protection youth are defined as the percentage of students who have more than a specified number of protective factors operating in their lives.
(6th grade: 4 or more protective factors, 7th-12th grades: 5 or more protective factors)

Data Tables

Table 11. Percentage of Students Reporting Risk

Risk Factors	Grade 6				Grade 8				Grade 10				Grade 12			
	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008
Community Domain																
Low Neighborhood Attachment	57.6	58.1	54.6	48.6	46.3	47.0	43.7	38.8	54.5	47.5	49.1	43.5	51.3	53.5	50.8	46.3
Community Disorganization	59.5	50.2	47.4	42.7	58.9	51.6	55.0	47.7	61.4	51.3	55.8	48.7	48.3	40.3	52.9	48.0
Laws & Norms Favor Drug Use	45.3	47.8	48.3	48.1	47.2	42.9	46.2	46.7	51.4	41.0	42.7	44.1	48.8	49.0	48.9	49.6
Perceived Availability of Drugs	51.6	48.0	45.5	50.9	52.1	40.0	44.5	43.6	54.5	49.1	49.8	47.1	54.7	49.5	49.8	47.1
Family Domain																
Perceived Availability of Handguns	22.8	23.9	25.4	30.5	39.5	38.6	42.3	44.4	36.7	30.9	36.6	34.5	37.3	41.1	41.1	40.0
Poor Family Management	50.0	53.5	48.3	51.9	48.3	42.2	44.2	44.5	48.8	39.8	44.6	40.5	50.5	41.7	41.0	41.1
Family Conflict	51.1	45.8	44.7	44.7	42.3	40.0	41.8	38.6	47.3	46.0	46.4	42.7	40.2	38.5	42.1	38.1
Family History of Antisocial Behavior	56.2	51.0	46.5	46.7	46.9	42.9	45.0	43.3	49.0	44.6	49.7	45.2	50.1	43.6	46.8	45.2
Parent Attitudes Favorable to ASB	44.9	39.4	35.9	40.4	51.2	48.4	48.8	51.5	49.6	51.7	52.8	53.6	45.4	43.3	51.0	51.5
Parent Attitudes Favor Drug Use	19.3	16.6	16.3	16.6	32.8	28.1	30.4	31.6	48.7	40.6	42.0	44.1	46.0	41.3	43.8	45.0
School Domain																
Academic Failure	37.5	39.5	37.2	37.0	40.5	40.3	40.5	43.1	43.1	40.1	41.1	43.4	36.2	31.8	34.8	37.9
Low Commitment to School	45.9	47.8	44.2	51.0	45.7	42.2	48.9	49.5	49.9	36.0	42.7	44.9	52.9	40.7	43.1	47.0
Peer-Individual Domain																
Rebelliousness	51.2	42.8	42.0	41.5	48.2	42.6	44.3	42.8	52.2	45.3	49.7	46.3	45.9	43.2	44.0	43.8
Early Initiation of ASB	40.7	36.8	35.2	29.2	47.8	41.9	45.8	37.8	47.8	43.3	49.6	40.4	36.0	35.5	45.0	37.0
Early Initiation of Drug Use	48.8	38.3	34.5	35.1	53.2	41.9	45.3	42.9	43.6	43.7	41.6	41.0	51.5	44.5	45.9	43.9
Attitudes Favorable to ASB	49.9	47.7	48.6	47.8	44.9	38.7	39.6	39.0	46.3	45.7	43.2	45.2	41.9	35.3	40.8	41.0
Attitudes Favorable to Drug Use	31.0	27.2	24.0	23.4	45.2	37.9	38.5	38.2	50.8	48.0	44.7	44.8	51.9	40.8	42.9	43.5
Perceived Risk of Drug Use	48.6	49.4	47.8	48.4	40.5	41.1	38.0	40.7	49.3	50.1	47.9	49.5	36.3	35.5	38.2	40.4
Interaction with Antisocial Peers	54.2	49.6	51.8	42.4	46.3	38.9	42.8	37.7	43.3	38.6	43.0	37.9	35.9	31.7	37.1	34.9
Friend's Use of Drugs	32.6	28.3	24.2	28.3	59.0	43.8	46.5	47.3	54.3	46.0	44.2	43.9	48.8	38.4	38.5	37.9
Rewards for ASB	28.7	25.8	26.9	29.1	41.4	30.4	32.8	35.8	43.5	42.7	38.7	42.5	43.7	41.9	43.9	43.5
Depressive Symptoms	48.5	45.8	40.6	39.9	51.9	43.5	46.6	44.2	48.0	48.3	44.1	44.6	43.0	37.3	35.5	37.3
Intention to Use Drugs	52.7	48.1	47.0	49.3	39.0	31.1	32.5	31.3	50.5	42.7	41.8	41.5	51.5	43.0	46.3	45.1
Gang Involvement	14.1	12.3	7.6	8.0	20.4	13.3	11.0	10.8	15.6	12.6	12.1	8.7	11.7	9.4	10.6	6.6
High Risk																
Students at High Risk*	61.9	55.8	50.0	51.3	59.4	45.1	51.5	49.4	55.6	47.6	51.8	49.1	55.0	44.3	51.7	47.9

* High Risk youth are defined as the percentage of students who have more than a specified number of risk factors operating in their lives.
(6th grade: 7 or more risk factors, 7th-8th grade: 8 or more risk factors, 9th-12th graders: 9 or more factors)

Data Tables

Table 12. Sources and Places of Student Cigarette Use *

The last time I smoked a cigarette I...	Grade 6			Grade 8			Grade 10			Grade 12		
	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008
<i>Sample size *</i>	136	66	1,498	191	251	3,116	307	308	4,238	288	395	4,078
Bought It WITH a Fake ID	1.5	9.1	7.1	2.6	2.0	3.8	1.6	3.9	2.9	1.7	3.3	2.7
Bought It WITHOUT a Fake ID	2.2	10.6	6.5	6.3	8.4	7.7	13.4	15.6	18.3	45.5	44.8	45.4
Got It From Someone 18 OR OLDER	20.6	22.7	27.8	40.3	46.2	45.3	53.1	61.7	62.6	36.8	43.3	41.9
Got It From Someone UNDER 18	16.9	15.2	23.0	31.9	36.7	37.8	32.2	29.5	33.6	9.7	13.2	13.2
Got It From a Brother/Sister	10.3	13.6	13.8	13.6	12.0	13.9	11.4	14.3	14.2	5.2	8.1	8.9
From Home WITH Parent's Permission	7.4	12.1	8.9	6.3	10.4	8.1	7.5	8.8	9.5	3.5	6.8	6.9
From Home WITHOUT Parent's Permission	18.4	7.6	22.4	19.4	21.1	25.3	16.6	15.9	15.4	3.1	6.3	6.4
Got It From Another Relative	8.1	15.2	15.2	15.2	11.6	16.6	11.4	13.6	13.1	3.5	7.1	7.4
A Stranger Bought It for Me	1.5	10.6	5.9	5.2	6.4	7.4	8.1	9.1	7.7	2.1	2.5	4.1
Took It From a Store	3.7	9.1	5.4	6.8	4.0	5.3	2.6	2.6	3.6	2.1	1.8	2.1
Other	41.2	51.5	45.0	31.9	34.7	32.8	23.5	25.3	24.6	31.9	31.4	31.8
On the last day I smoked, I smoked at...	Grade 6			Grade 8			Grade 10			Grade 12		
	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008
<i>Sample size *</i>	121	59	1,341	199	258	3,169	323	330	4,256	273	391	3,976
Home	47.9	39.0	56.1	55.8	50.0	59.0	54.8	63.0	63.4	61.2	59.8	62.4
A Friend's Home	51.2	45.8	57.9	63.8	76.4	75.1	74.0	80.0	81.8	79.9	78.3	81.3
A School Dance, a Game, or Other Event	13.2	23.7	26.1	24.6	24.0	33.6	30.3	39.4	43.2	35.9	37.9	40.4
School During the Day	5.8	22.0	11.6	13.1	14.3	19.9	23.8	34.2	34.8	34.8	33.2	33.1
Near School	17.4	23.7	24.2	24.1	32.2	35.9	37.2	46.4	48.9	45.1	50.9	49.4
In a Car	22.3	40.7	36.5	41.7	50.0	54.5	66.6	78.2	77.9	76.9	86.4	84.5
A Party	33.1	47.5	40.3	43.2	55.4	55.7	59.4	70.9	70.2	67.0	77.2	76.9
A Park or Beach	31.4	40.7	30.1	40.7	51.9	42.2	47.7	52.1	48.1	53.1	52.7	50.9

* Sources and Places data were not gathered prior to 2006.

* Sample size represents the number of youth who answered the question, not including students reporting no cigarette use in the past year. In the case of smaller sample sizes, caution should be exercised before generalizing results and yearly trends to the entire community.

Data Tables

Table 13. Sources and Places of Student Alcohol Use *

When I drank Alcohol in the past year I...	Grade 6			Grade 8			Grade 10			Grade 12		
	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008
<i>Sample size *</i>	184	105	1,997	288	382	4,658	475	510	6,370	427	576	5,768
Bought It WITH a Fake ID	0.5	5.7	3.2	1.4	1.6	2.1	1.1	1.8	1.7	2.1	2.6	2.8
Bought It WITHOUT a Fake ID	0.5	1.0	3.6	1.7	3.7	2.7	2.7	4.5	5.6	4.7	5.7	8.4
Got It From Someone 21 OR OLDER	22.3	27.6	30.1	34.7	37.4	39.9	44.2	53.1	55.7	67.7	64.4	66.3
Got It From Someone UNDER 21	9.2	9.5	16.2	23.6	26.2	28.6	30.3	28.2	31.5	20.6	26.4	24.8
Got It From a Brother/Sister	4.9	7.6	10.5	11.5	9.4	11.6	10.5	10.8	12.2	7.5	10.6	10.7
From Home WITH Parent's Permission	24.5	27.6	26.1	24.0	20.4	23.3	20.6	18.2	17.6	15.5	15.1	15.1
From Home WITHOUT Parent's Permission	15.2	9.5	19.6	17.0	22.8	23.6	15.8	17.5	18.4	7.0	11.3	9.9
Got It From Another Relative	8.2	13.3	15.1	13.2	13.4	16.4	10.7	13.9	13.2	8.0	13.2	10.3
A Stranger Bought It for Me	1.6	2.9	4.1	4.2	2.9	4.2	3.8	6.9	6.1	4.9	5.2	6.9
Took It From a Store	1.6	3.8	3.8	3.1	1.8	2.6	1.1	1.8	2.0	1.4	1.2	1.9
Other	37.0	35.2	34.3	24.3	26.4	27.0	24.4	22.7	23.7	15.5	20.7	21.0
During the past year, I drank alcohol at...	Grade 6			Grade 8			Grade 10			Grade 12		
	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008	Agency 2006	Agency 2008	State 2008
<i>Sample size *</i>	161	81	1,881	278	386	4,679	460	494	6,178	401	572	5,537
Home	70.2	70.4	67.7	62.6	61.9	64.1	61.3	61.7	58.8	61.3	57.3	58.2
A Friend's Home	39.1	38.3	45.1	57.2	67.9	67.1	74.6	76.3	80.0	79.8	83.7	85.2
A School Dance, a Game, or Other Event	8.7	14.8	13.3	13.3	14.5	16.7	18.7	20.2	20.0	25.2	22.4	22.1
School During the Day	2.5	9.9	6.4	7.6	8.0	9.3	12.4	14.8	13.0	14.7	13.3	13.5
Near School	6.8	11.1	12.1	9.0	14.5	15.3	15.9	17.4	19.2	16.7	18.2	19.7
In a Car	13.0	18.5	19.7	21.9	25.4	29.7	33.0	40.9	40.6	36.2	42.5	45.2
A Party	25.5	45.7	39.9	45.7	54.1	54.4	58.9	69.0	69.3	67.1	74.5	78.8
A Park or Beach	10.6	14.8	13.7	17.3	20.5	16.7	19.6	20.6	18.3	14.7	17.1	19.4

* Sources and Places data were not gathered prior to 2006.

* Sample size represents the number of youth who answered the question, not including students reporting no alcohol use in the past year. In the case of smaller sample sizes, caution should be exercised before generalizing results and yearly trends to the entire community.

Data Tables

Table 14. Drug Free Communities Report *

Outcomes	Definition	Substance	Agency 2008											
			Grade 6		Grade 8		Grade 10		Grade 12		Male		Female†	
			Percent	Sample	Percent	Sample	Percent	Sample	Percent	Sample	Percent	Sample	Percent	Sample
Perception of Risk <i>(People are at Moderate or Great Risk of harming themselves if they...)</i>	Drink 1 or two drinks nearly every day	Alcohol	66.8	1,180	65.0	1,350	64.3	1,136	63.3	1,010	58.2	2,227	71.2	2,379
	Smoke 1 or more packs or cigarettes per day	Cigarettes	82.6	1,204	87.1	1,364	88.2	1,142	89.3	1,014	85.5	2,246	88.1	2,406
	Smoke marijuana regularly	Marijuana	86.4	1,152	85.9	1,322	79.9	1,112	78.6	995	80.0	2,174	85.8	2,336
Perception of Parent Disapproval <i>(Parents feel it would be Wrong or Very Wrong to...)</i>	Drink beer, wine, or hard liquor regularly	Alcohol	95.8	991	90.1	1,260	82.7	1,103	76.4	989	86.4	2,051	86.2	2,225
	Smoke cigarettes	Cigarettes	97.6	989	94.3	1,265	90.4	1,106	81.0	989	90.9	2,050	91.3	2,231
	Smoke marijuana	Marijuana	99.0	983	96.0	1,257	93.7	1,103	93.4	983	95.1	2,045	95.9	2,215
Perception of Peer Disapproval <i>(I think it is Wrong or Very Wrong for someone my age to...)</i>	Drink beer, wine, or hard liquor regularly	Alcohol	93.3	1,256	79.2	1,406	64.6	1,154	60.3	1,023	74.8	2,322	76.0	2,440
	Smoke cigarettes	Cigarettes	94.6	1,257	85.3	1,404	73.7	1,155	61.2	1,024	79.0	2,323	80.7	2,440
	Smoke marijuana	Marijuana	97.2	1,252	88.7	1,401	79.5	1,155	77.5	1,024	85.3	2,317	87.5	2,438
Past 30-Day Use	At least one use in the past 30 days	Alcohol	7.4	1,197	21.5	1,366	32.8	1,145	42.2	1,010	25.8	2,248	24.5	2,397
		Cigarettes	1.8	1,099	9.8	1,339	16.3	1,132	24.9	1,005	12.8	2,164	12.8	2,342
		Marijuana	0.7	1,191	6.9	1,365	12.8	1,141	13.6	1,008	8.5	2,235	8.0	2,397
			Percent	Sample	Percent	Sample	Percent	Sample	Percent	Sample	Percent	Sample	Percent	Sample
Average Age of Onset** <i>(How old were you when you first...)</i>	Had more than a sip or two of beer, wine or hard liquor?	Alcohol	30.3	1,253	53.7	1,405	69.7	1,156	76.8	1,028	56.7	2,318	56.2	2,447
		Average age:	10.8		11.9		13.2		14.2		12.6		12.9	
	Smoked a cigarette, even just a puff?	Cigarettes	14.2	1,254	35.8	1,405	47.1	1,154	57.2	1,026	38.7	2,322	36.4	2,440
		Average age:	10.5		11.6		12.5		13.6		12.3		12.6	
	Smoked marijuana?	Marijuana	2.5	1,261	14.7	1,406	29.8	1,156	37.9	1,027	21.1	2,325	19.0	2,448
		Average age:	11.1		12.3		13.6		14.7		13.6		13.9	

* The "Sample" column represents the sample size (the number of youth who answered the question). The "Percent" column represents the percentage of youth in the sample answering the question as defined.

** For Average Age of Onset, "Sample" represents the number of youth who answered the question (including students who did not use). The "Percent" column represents the percentage of youth in the sample reporting any age of first use for the specified substance. "Average age" is calculated by averaging the ages of first use of students reporting any use.

† The male and female values allow a gender comparison for youth who completed the survey. However, unless the percentage of students who participated from each grade is similar, the gender results are not necessarily representative of males and females in the community.

Data Tables

Table 15. Additional Data for Prevention Planning - Safety, Violence, and Gangs

		Grade 6				Grade 8				Grade 10				Grade 12			
		Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008	Agency 2004	Agency 2006	Agency 2008	State 2008
Safety																	
I feel safe at my school	YES! Or yes	80.6	81.1	81.7	81.3	70.3	72.9	71.4	75.6	65.0	73.0	63.5	75.6	73.2	76.5	70.6	80.7
I feel safe in my neighborhood	YES! Or yes	68.3	68.2	75.5	76.9	72.4	73.2	73.5	77.9	73.6	77.0	75.8	81.3	80.0	82.3	77.5	83.4
Verbal and Physical Violence																	
What are the chances you would be seen as cool if you defended someone who was being verbally abused at school?	No or very little chance	15.1	17.0	16.7	17.6	17.8	14.9	15.0	15.7	16.9	13.9	14.3	14.8	14.3	12.3	14.1	14.2
How wrong do you think it is for someone your age to pick a fight with someone?	Not wrong at all	7.4	6.7	4.5	5.1	9.7	9.6	9.0	8.7	8.0	7.5	6.2	7.7	6.3	4.0	5.0	5.7
How wrong do you think it is for someone your age to attack someone with the idea of seriously hurting them?	Not wrong at all	2.7	4.1	2.7	2.6	6.4	6.0	5.5	4.5	4.1	5.3	4.9	4.3	3.8	3.6	4.2	3.7
How many times in the past year (12 months) have you attacked someone with the idea of seriously hurting them?	At least one time in the past year	20.9	20.1	16.8	15.3	24.4	20.8	22.1	18.0	20.4	17.6	23.6	16.8	14.9	12.3	16.4	13.4
It is all right to beat up people if they start the fight.	YES! or yes	54.3	47.9	39.5	41.2	64.9	56.7	58.5	56.4	64.7	62.5	63.5	60.6	59.8	53.3	57.4	55.3
How wrong do your parents feel it would be for you to pick a fight with someone?	Not wrong at all	5.4	5.2	2.7	3.6	5.8	6.7	5.3	5.3	4.6	3.6	4.4	4.6	3.0	1.6	4.4	3.8
Gang Involvement																	
Have you ever belonged to a gang?	No	83.7	85.4	91.7	90.4	75.8	84.7	86.8	87.1	82.0	85.7	86.1	89.4	87.5	89.5	88.2	91.7
	No, but would like to	2.2	2.3	0.7	1.6	3.8	2.0	2.2	2.2	2.4	1.7	1.8	1.9	0.9	1.2	1.3	1.7
	Yes, in the past	9.8	7.9	4.9	5.1	10.8	8.0	7.1	6.0	10.1	7.7	5.7	4.9	5.9	5.9	7.0	3.6
	Yes, belong now	3.4	3.4	1.8	2.4	8.8	4.6	3.3	4.2	5.0	4.7	5.9	3.5	4.7	3.2	3.1	2.7
	Yes, but would like to get out	0.8	0.9	0.9	0.5	0.8	0.6	0.7	0.5	0.6	0.3	0.4	0.4	1.0	0.3	0.4	0.3

Contacts for Prevention

Regional Prevention Contacts:

Bill Willis Community Mental Health Center Area Prevention Resource Center (APRC)

918-207-3020

Serves Adair, Cherokee, Sequoyah and Wagoner
Counties

Eagle Ridge Institute APRC

405-840-1359

Serves Oklahoma County

Gateway to Prevention and Recovery APRC

405-275-3391

Serves Lincoln, Okfuskee, Pottawatomie, and Seminole
Counties

John Crow IV Memorial Foundation APRC

918-656-3905

Serves Hughes, McIntosh, and Muskogee Counties

NAIC – Center for Alcohol & Drug Services APRC

405-321-0022

Serves Cleveland and McClain Counties

Northwest Center for Behavioral Health APRC

580-571-3240

Serves Beaver, Cimarron, Ellis, Harper, Texas, Woods
and Woodward Counties

Kibois / The Oaks Rehabilitative Services APRC

918-423-1113

Serves Atoka, Coal, Haskell, Latimer, and Pittsburg
Counties

OSU Seretean Wellness Center, PaNOK APRC

405-624-2220

Serves Kay, Noble, Osage, Payne, and Pawnee Counties

OSU Seretean Wellness Center, Tri-County APRC

918-756-1248

Serves Creek and Okmulgee Counties

PreventionWorkz APRC

580-234-1046

Serves Alfalfa, Garfield, Grant, Kingfisher,
Logan and Major Counties

Red Rock West APRC

580-323-6021

Serves Beckham, Blaine, Caddo, Custer, Dewey,
Greer, Kiowa, Roger Mills, and Washita
Counties

Red Rock West APRC - Satellite Office

405-354-1927

Serves Canadian and Grady Counties

ROCMND Area Youth Services APRC

918-256-7518

Serves Craig, Delaware, Mayes, Nowata,
Ottawa, Rogers, and Washington Counties

ROCMND Area Youth Services APRC - Satellite Office

918-493-6322

Serves Tulsa County

Southern Oklahoma Interlocal Cooperative APRC

580-286-3344

Serves Choctaw, Leflore, McCurtain, and
Pushmataha Counties

Wichita Mountains Prevention Network - Ardmore APRC

580-490-9021

Serves Bryan, Carter, Garvin, Johnston, Love,
Marshall, Murray, and Pontotoc Counties

Wichita Mountains Prevention Network - Lawton APRC

580-355-5246

Serves Comanche, Cotton, Harmon, Jackson,
Jefferson, Stephens, and Tillman Counties

Contacts for Prevention

State Contacts:

Oklahoma Department of Mental Health and Substance Abuse Services

1200 NE 13th St.
Oklahoma City, OK 73152
Jessica Hawkins – 405-522-3619
jhawkins@odmhsas.org

Oklahoma Prevention Resource Center

2401 NW 23rd, Suite 82
Oklahoma City, OK 73107
Norma Janssen - 405-522-3810
njanssen@odmhsas.org

Oklahoma Commission on Children and Youth Jack Chapman

Jack.Chapman@occy.state.ok.us

Oklahoma Department of Education Gayle Jones, Safe & Drug-Free Schools Coordinator

gayle_jones@sde.state.ok.us

Oklahoma Department of Health, Tobacco Use Prevention

Doug Matheny
dougmatheny@health.ok.gov
Dave Wattenbarger
davew@health.ok.gov

Oklahoma Department of Public Safety, Highway Safety Office

2 Much 2 Lose
Sabrina Mackey
SMackey@dps.state.ok.us

Oklahoma Institute for Child Advocacy

Anne Roberts
aroberts@oica.org

Oklahoma Turning Point Initiative

Larry Olmstead
larryo@health.ok.gov

Online Oklahoma Prevention Resource Center

www.odmhsas.org/resourcecenter

Students Working Against Tobacco (SWAT)

Jennifer Wilson
JenniferLW@health.ok.gov

National Contacts & Resources:

Center for Substance Abuse Prevention (CSAP)

<http://prevention.samhsa.gov>

Office of Juvenile Justice and Delinquency Prevention (OJJDP)

<http://www.ojjdp.ncjrs.org>

Safe and Drug Free Schools and Communities Program

U.S. Department of Education
www.ed.gov/offices/OESE/SDFS

Substance Abuse and Mental Health Services Administration (SAMHSA) Prevention Platform

<https://preventionplatform.samhsa.gov/>

Social Development Research Group, University of Washington

<http://depts.washington.edu/sdrg/>

National Clearinghouse for Alcohol & Drug Information

<http://www.health.org/>

This Report was Prepared for the State of Oklahoma by Bach Harrison, L.L.C.

116 South 500 East
Salt Lake City, Utah 84102
801-359-2064
www.bach-harrison.com

**For more information about this report or the information it contains, please contact the Oklahoma Department of Mental Health & Substance Abuse Services:
(405) 522-3619**